



CRAFTED WITH
PRECISION,
COATED IN
DISTINCTION

Colorbond[®]
ULTRA

THE COLORBOND® STEEL ADVANTAGE


This is what every detail, every component and every finishing touch leads to: the 5 unparalleled advantages of COLORBOND® steel.
Go on, challenge the boundaries of your builds and designs.
Be it to protect, beautify or endure, COLORBOND® steel comes with an enhanced warranty of 30 years* - realising creations that last for longer.



Galvanised Steel | Colorbond

Outstanding Corrosion Resistance

With superior corrosion resistance compared to other coated steels, COLORBOND® steel along with its ZINCALUME® steel substrate core and proprietary paint system safeguard buildings even in severe marine environments.



Conventional prepainted steel | Colorbond

Beautiful Colours for Longer


The proprietary paint system protects surfaces from fading, chalking and peeling, ensuring timeless designs that stand out with vivid colour.



Conventional prepainted steel | Colorbond

Clean Technology

Incorporated into COLORBOND® steel's paint system, Clean Technology prevents dirt from bonding to the surface. Every rainfall washes dirt away easily, preserving the pristine condition of your creations.



Conventional prepainted steel | Colorbond

Reflects Heat for More Comfort

COLORBOND® steel is also an intelligent heat insulator. It keeps interiors cool with the help of THERMATECH® Technology, which reduces heat transmitted through the roof[^]. This contributes to energy conservation and enables better compliance with Green Building rating requirements^{^^}.

[^] Compared to conventional paint system.

^{^^} Subject to building design.



Our Team is Ever Ready to Assist

Service Support from Design to Build

Get the full picture on COLORBOND® steel's capabilities for your creations. Full support and assistance are provided including Specification Support, Consultation & Risk Assessment, and Advisory Role in Material Quality & Application.



With decades of insights from past projects in Malaysia and the backing of Australian technology, COLORBOND® ULTRA steel is now longer lasting with an enhanced warranty of 30 years* against perforation by corrosion. When you purchase COLORBOND® ULTRA steel, here are the warranty and assurance backed by BlueScope:

- Warranty against perforation by corrosion for up to **30 years**
- Warranty against paint flake and peel for up to **15 years**
- Warranty against excessive colour fading for up to **12 years**
- Warranty against discolouration by dirt staining for up to **5 years**

* Warranty terms and conditions apply.

Designed specifically for coastal and industrial buildings. Thanks to its higher coating mass, you enjoy fortified protection against corrosion. Stylish, timeless yet practical.



Breathless Beige (SRI:68)



Dessert Iris (SRI:65)



Forever Beige (SRI:54)



Ultimate Grey (SRI:68)



Royal Hibiscus (SRI:42)



★ **Eternal Red (SRI:40)** ★



Mesmerizing Brown (SRI:31)



Ore Grey (SRI:31)



Constant Blue (SRI:31)



★ **Smashing Blue (SRI:29)** ★



★ **Livid Grey (SRI:48)** ★



★ **Jumbo Grey (SRI:28)** ★



Intimate Green (SRI:46)



Inspiring Ocean (SRI:40)




Ever Green (SRI:24)




African Charcoal (SRI:22)

Light-coloured shades with high Solar Reflectance Index (SRI) values to meet the Green Building certification requirements:




★ **Amazing White (SRI:83)** ★



★ **Enduring White (SRI:82)** ★



Golden Marigold (SRI:81)



Rose Radiance (SRI:88)



Ocean Brunnera (SRI:80)

SRI is calculated using ASTM E1980-01 with Medium Convection Coefficient (12) value reported. This data is approximate values only, may vary based on paint formulation and/or metallic coating thickness.

The colours shown in the colour chart have been reproduced to represent actual product colours as accurately as possible. However, we recommend you to check your chosen colour against actual sample of the product before purchasing, as varying light conditions and limitations of the printing process may affect colour tones.

To identify genuine COLORBOND® ULTRA steel made only by BlueScope,
please check the reverse side of the sheet for the following branding text:

COLORBOND(R) ULTRA steel CLN AZ200 W30 made by BlueScope 16:18 09:JAN:24 11



NS BlueScope Malaysia Sdn. Bhd.

199101012824 (223136-P)

Level 11, Tower 8, UOA Business Park,
No.1, Jalan Pengaturcara U1/51A,
Seksyen U1, 40150 Shah Alam,
Selangor Darul Ehsan.

☎ +603 5022 1000

📠 +603 5022 1001

✉ enquiries.malaysia@bluescope.com

🌐 www.nsbluescope.com/my

📺 📢 📷 📱 NS BlueScope Malaysia

Customer Care: 1 300 88 6288



MyHP00048/15



SIRIM
Certified to AS/NZS2728 : 1997
Certification No.:PB030302



SIRIM
Certified to MS2383 : 2020
Certification No.:PC001163



SIRIM
ECO-LABEL
Recycled Content Steel
99.99% Recycled Steel
Low Carbon Steel



**Scan now for more information
on COLORBOND® steel**

The information contained in this brochure is of a general nature only, and has not been prepared with your specific needs in mind. You should always obtain specialist advice to ensure that any materials, approaches and techniques referred to in this brochure meet your specific requirements.

NS BlueScope Malaysia makes no warranty as to the accuracy, completeness or reliability of any estimates, opinions or other information contained in this brochure, and to the maximum extent permitted by law, NS BlueScope Malaysia disclaims all liability and responsibility for any loss or damage, direct or indirect, which may be suffered by any person acting in reliance on anything contained in or omitted from this document.

COLORBOND®, ZINCALUME® and THERMATECH® are trademarks of BlueScope Steel Limited.

BlueScope is a registered trade mark of BlueScope Steel Limited.

Copyright © 2024 NS BlueScope Malaysia Sdn. Bhd. All rights reserved. No part of this brochure may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the written permission of NS BlueScope Malaysia Sdn. Bhd.