



No Lesen : **EL000377**

Licence No :

LESEN PENSIJILAN EKO-LABEL

Eco-Label Licence



SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
SIRIM QAS International Sdn. Bhd. hereby grants to

**NS BLUESCOPE LYSAGHT MALAYSIA SDN. BHD.
NO. 6, PERSIARAN KEMAJUAN
SEKSYEN 16
40200 SHAH ALAM
SELANGOR, MALAYSIA**

Lesen untuk menggunakan Tanda Eco-Label di atas barangan
a licence to use the Eco-Label Mark on

STEEL PRODUCTS

Please refer to detail in the SCHEDULE

sebagai mematuhi keperluan
as complying with

SIRIM ECO 032 : 2020

Ts. Md. Adha bin Katni @ Rahmat
Pemangku Ketua Pegawai Eksekutif
Acting Chief Executive Officer
SIRIM QAS International Sdn. Bhd.



SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 27 March 2025

Certified Since

Sah Sehingga : 27 March 2027

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 07 April 2025

Issue Date

No Siri : 109640

Serial No

SCHEDULE

NS BLUESCOPE LYSAGHT MALAYSIA SDN. BHD.



Trade Mark	: COMPANY ID = NS BLUESCOPE LYSAGHT MALAYSIA
Model	: SELF-SUPPORTING STEEL ROOFING; KLIP-LOK OPTIMA
Rating	: MATERIAL DESIGNATION: WITH ORGANIC COATING = GRADE 550 + MIN AZ150; WITHOUT ORGANIC COATING = GRADE 550 + MIN AZ150
Type	: CONCEALED FIX PROFILE
Size	: BASE METAL THICKNESS (mm) = 0.42 - 0.60; COVER WIDTH (mm) = 980
Trade Mark	: COMPANY ID = NS BLUESCOPE LYSAGHT MALAYSIA
Model	: SELF-SUPPORTING STEEL ROOFING; SPANDEK OPTIMA
Rating	: MATERIAL DESIGNATION: WITH ORGANIC COATING = GRADE 550 + MIN AZ150; WITHOUT ORGANIC COATING = GRADE 550 + MIN AZ150
Type	: TRAPEZOIDAL PROFILE
Size	: BASE METAL THICKNESS (mm) = 0.42, 0.48; COVER WIDTH (mm) = 935
Trade Mark	: COMPANY ID = NS BLUESCOPE LYSAGHT MALAYSIA
Model	: SELF-SUPPORTING STEEL ROOFING; TRIMDEK OPTIMA
Rating	: MATERIAL DESIGNATION: WITH ORGANIC COATING = GRADE 550 + MIN AZ150; WITHOUT ORGANIC COATING = GRADE 550 + MIN AZ150
Type	: TRAPEZOIDAL PROFILE
Size	: BASE METAL THICKNESS (mm) = 0.42, 0.48; COVER WIDTH (mm) = 1015
Trade Mark	: COMPANY ID = NS BLUESCOPE LYSAGHT MALAYSIA
Model	: SELF-SUPPORTING STEEL ROOFING; HR-29
Rating	: MATERIAL DESIGNATION: WITH ORGANIC COATING = GRADE 550 + MIN AZ150; WITHOUT ORGANIC COATING = GRADE 550 + MIN AZ150
Type	: TRAPEZOIDAL PROFILE
Size	: BASE METAL THICKNESS (mm) = 0.42 - 0.80; COVER WIDTH (mm) = 727
Trade Mark	: COMPANY ID = NS BLUESCOPE LYSAGHT MALAYSIA
Model	: SELF-SUPPORTING STEEL ROOFING; HR-29 OPTIMA
Rating	: MATERIAL DESIGNATION: WITH ORGANIC COATING = GRADE 550 + MIN AZ150; WITHOUT ORGANIC COATING = GRADE 550 + MIN AZ150
Type	: TRAPEZOIDAL PROFILE
Size	: BASE METAL THICKNESS (mm) = 0.42 - 0.60; COVER WIDTH (mm) = 970
Trade Mark	: COMPANY ID = NS BLUESCOPE LYSAGHT MALAYSIA
Model	: SELF-SUPPORTING STEEL ROOFING; CUSTOM ORB
Rating	: MATERIAL DESIGNATION: WITH ORGANIC COATING = GRADE 550 + MIN AZ150; WITHOUT ORGANIC COATING = GRADE 550 + MIN AZ150
Type	: SINUSOIDAL PROFILE
Size	: BASE METAL THICKNESS (mm) = 0.42, 0.48; COVER WIDTH (mm) = 766

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 27 March 2025

Certified Since

Sah Sehingga : 27 March 2027

Valid Until

Tarikh Dikeluarkan : 07 April 2025

Issue Date

No Siri : 109640

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

NS BLUESCOPE LYSAGHT MALAYSIA SDN. BHD.



Trade Mark : COMPANY ID = NS BLUESCOPE LYSAGHT MALAYSIA
 Model : SELF-SUPPORTING STEEL ROOFING; MULTICLAD OPTIMA
 Rating : MATERIAL DESIGNATION: WITH ORGANIC COATING = GRADE 550 + MIN AZ150;
 WITHOUT ORGANIC COATING = GRADE 550 + MIN AZ150
 Type : TRAPEZOIDAL PROFILE WITH STIFFENED VALLEY
 Size : BASE METAL THICKNESS (mm) = 0.42, 0.48; COVER WIDTH (mm) = 1110

Trade Mark : COMPANY ID = NS BLUESCOPE LYSAGHT MALAYSIA
 Model : PROFILED STEEL; KLIP-LOK® OPTIMA™, SPANDEK® OPTIMA™, TRIMDEK® OPTIMA™, KLIP-LOK®406, SPANDEK®, TRIMDEK®, HR-29® OPTIMA™, HR29®, CUSTOM ORB®, CUSTOM BLUE ORB®, STYLEDEK® OPTIMA, BORNEO TILE®, 360 SEAM®, SELECT SEAM II®, ZIPDEK®, PRESTIGE PANEL® II / X-VERGE, MULTICLAD® OPTIMA™, LYSAGHT® BONDEK® II, LYSAGHT® SMARTDEK®, LYSAGHT® POWERDEK®
 Rating : Fire Propagation Index: 3.9, 1.2 Surface Spread of Flame: Class 1
 Type : Material: G550 CLEAN COLORBOND STEEL
 Size : Nominal Thickness (BMT), mm: 0.35 - 0.75

Trade Mark : COMPANY ID = NS BLUESCOPE LYSAGHT MALAYSIA
 Model : PROFILED STEEL; KLIP-LOK® OPTIMA™, SPANDEK® OPTIMA™, TRIMDEK® OPTIMA™, KLIP-LOK®406, SPANDEK®, TRIMDEK®, HR-29® OPTIMA™, HR29®, CUSTOM ORB®, CUSTOM BLUE ORB®, STYLEDEK® OPTIMA, BORNEO TILE®, 360 SEAM®, SELECT SEAM II®, ZIPDEK®, PRESTIGE PANEL® II / X-VERGE, MULTICLAD® OPTIMA™, LYSAGHT® BONDEK® II, LYSAGHT® SMARTDEK®, LYSAGHT® POWERDEK®
 Rating : Fire Propagation Index: 2.4, 2.5 Surface Spread of Flame: Class 1
 Type : Material: G550 GALVANIZED STEEL
 Size : Nominal Thickness (BMT), mm: 0.75 - 1.20

Eco-Labeling Claim : Recyclable Steel

End of page