SMARTDEK[®] Test, Feature & Benefit

Saving concrete up to 25% reduce slab self weight 60 kg/m2 Fast construction speed Clearer project site Flexible opening adjustment Less transportation cost 3 pans with 51 mm rib height of W-Deck profile Pan and Rib Stiffener

INTERNATIONAL TEST

Formwork Test, Composite Test & Fire Test







Composite -5000 Cyclic Load test



Fire Test - BRANZ



Fire Test - Victoria University



Formwork Test, Composite Test,

Fire Test and Vibration Test



LOCAL TEST

at ITB





Fire Test





fax. : (021) 8998-2966	
Jln, Irian - Blok DD2/2	Р
Kawasan Industri MM-2100,	
Cibitung - Bekasi	
	S
Hotline :	
Jakarta : (021) 71 6 89 711	
Surabaya : (0 31) 700 35000	Ν

www.bluescopesteel.co.id

WHY SMARTDEK[®] PROFILE ?

1. Research & Development

Support BlueScope Lysaght places great emphasis on product research and testing. All of our LYSAGHT structural products are subjected to rigorous test such as slip block test, formwork test including shear and bearing, full scale slab test, composite slab cyclic test, fire rating test, formwork – air pressure test, formwork – four point load test and concentrated load test. These are carried out in the labs of the lysaght Technology Center in Chester Hill, Sydney, Australia, to ensure maximum performance and quality of our decking profiles.

2. Product Recommendation & Design to Suit your Specifications Working from your project specifications, our engineers will follow up on your requirements and work out a set of calculations and project proposal. A user friendly Excel-based software for the design of composite slabs with LYSAGHT SMARTDEK[®] profile will be available to assist a competent engineer in deriving an optimal solution. This software should be used in conjunction with the SMARTDEK[®] Design and Construction Guide.

3. Quality Assurance – Material & Manufacturing Process The LYSAGHT brand name is synonymous with quality and performance. As with all other LYSAGHT products, SMARTDEK[®] profiled steel sheets comply with major design standards adopted across Asia.

4. World Wide Project Experience Proven track of successful world wide project from previous profile (POWERDEK, BONDEK, 2W-DEK, 3W-DEK) on medium to high rise buildings give us strong knowledge for implementary SMARTDEK®, on every construction.







PROJECT REFERENCE

MALL 01. Blok M Square 02. Summarecon Mall Serpong 03. Citra Mall Batam 04. Summarecon Mall Bekasi

OFFICE 05. Office Tower Pacific Place 06. Eminence Darmawangsa 07. Gudang Garam Tower 08. ANTAM Tower 09. WTC II Sudirman Tower

INDUSTRIAL 10. Kievit Factory Salatiga 11. Pabrik benang - Trosobo

FACILITY 12. OMNI International Hospital Serpong 13. BPD Pingit 14. Sepinggan International Airport, Balikpapan



LYSAGHT[®] SMARTDEK[™]

Best Metal Floor Deck Design



ade mark of BlueScope Steel Limited Copyright © 2004 by BlueScope Steel Limited. All rights rese









PT NS BlueScope Lysaght Indonesia

JAKARTA	: Jln. Irian - Blok DD2/2 Kawasan Industri MM-2100, Cibitung, BEKASI Tel. (021) 8998-2965 Fax. (021) 8998-2966
SURABAYA	: Jln. Raya Trosobo KM 24 Taman - SIDOARJO Tel. (031) 897-1279 Fax. (031) 897-1278
MEDAN	: Jln. Rumah Potong Hewan No. 177 MEDAN Tel. (061) 685-1555 Fax. (061) 685-0155
PEKANBARU	: Kompleks Pergudangan Pekanbaru Logistics Center, Blok B7- B8, Jln. Siak II, Kelurahan Rumbai Bukit, Kecamatan Rumbai, PEKANBARU Tel. (0761) 489-1555 / 787-7065 Fax. (0761) 787-7065
PALEMBANG	: Komplek Pergudangan Primastar Biz park blok K1 Jln. Tanjung Siapi api km 8.5, PALEMBANG Tel. (0711) 5611-199
SEMARANG	: Kawasan Industri Candi Blok 11A No. 2



MAKASSAR : Jln. Kima Raya 1 No. 1 Kawasan Industri Makassar (KIMA) MAKASSAR Tel. (0411)514-987 / 518-000 Fax. (0411) 514-343





An Enhanced Look of **SMARTDEK**[®]

Properties and Quality





INTRODUCTION TO SMARTDEK[®]

SMARTDEK[®] is a new innovative steel decking profiled that brings greater economy and design freedom to building with composite concrete slabs. It is a unique and proudly to say that our design engineers scoured around the globe to find the best "W" – profiles in the world. After several advanced examinations, our engineers incorporated can be used as a working platform and the best aspects of each profile into new SMARTDEK[®].

The profile has been specifically developed for Australian high tensile steels – which makes SMARTDEK[®] one of the best performing "W" profiles in the world. This profile is designed to meet your requirement availability for diverse building needs.

This resulted in a new innovative and optimized shape for SMARTDEK[®], having flange stiffeners and deep embossments, which act as web stiffeners, to increase the load carrying capacity. Due to the large depth of the profile, an increase of the flexural rigidity reduces deflections.

SMARTDEK[®] steel sheets are permanent formwork for a suspended composite concrete slab. In its assembled state, it formwork to support wet concrete, construction materials and trades.

When the concrete hardens, SMARTDEK® acts as the bottom reinforcement of the concrete slab.

SMARTDEK[®] is a complete structural steel decking system for concrete, masonry or steel frame construction.

MATERIAL SPECIFICATION

SMARTDEK[®] profiled steel sheeting is roll-formed from hot dipped, zinc coated, chromate-passivated, and high strength grade steel strip.

Thic	kness	Coating Mass	Yield Strength		
BMT	тст	(total of both sides)	new Strength		
0.70 mm	0.75 mm	SUPERDYMA 180 g/m2	550 Mpa		
0.70 mm	0.75 mm	- ZINC-COATED - 275 g/m2	550 Mpa		
1.00 mm	1.05 mm		550 Mpa		
1.20 mm	1.25 mm		450 Mpa		

SECTION PROPERTIES TABLE

			Base Met	
	Unit	Symbol	0.70	
Area	mm²/mm	A	889.69	
Inertia Moment	mm⁴/m	Ix ¹	409375.50	
Section Modulus	mm³/m	Zx ¹	16974	
Mass	Kg/m ²		7.38	

SMARTDEK[®] FEATURES & BENEFITS

Feature	Ber	Benefit			
reature	Technical				
G550	Increase free span				
	Stiffer profile no indentation after support removed				
3 mm Embossment	Better composite action				
	Able to receive high intensity of loading without additional bottom reinforcement				
960 mm Effective Width	Fit with most column grid,				
	no waste	Le			
MEGAFLOOR [™] Software	Powerful tool to design decking as formwork and composite	L			



TYPICAL SMARTDEK® COMPOSITE SECTION

SMARTDEK[®] PROFILE & DIMENSION

The nominal dimensions of SMARTDEK[®] profiled steel sheeting are shown in the figure beside.

The effective cover width is 960mm. In the assembled state, the profile comprises two intermediate male and female ribs for every interlocking side-lap joint.

Installation & Properties



SMARTDEK[®] SPAN TABLE (FORMWORK STAGE)

Spa	an Type	Single			Continuous End			Continuous Interior			
	BMT	0.7	1.0	1.2	0.7	1.0	1.2	0.7	1.0	1.2	
	100	2380	2740	2800	2640	3410	3200	2640	3280	3200	
	110	2310	2650	2780	2550	3320	3110	2550	3170	3110	
	120	2230	2570	2700	2470	3230	3020	2470	3070	3020	
(mm)	130	2170	2500	2620	2400	3150	2930	2400	2990	2930	
Thickness	140	2110	2430	2560	2330	3080	2850	2330	2900	2850	
Thick	150	2060	2370	2500	2270	3000	2770	2270	2800	2770	
Slab 1	160	2010	2330	2440	2210	2930	2700	2210	2710	2700	
S	170	1960	2260	2390	2160	2850	2640	2140	2630	2640	
	180	1920	2230	2340	2110	2790	2580	2080	2550	2580	
	200	1840	2150	2180	2030	2670	2470	1870	2300	2470	





Installation on Steel Frame Construction



SMARTDEK[®] INSTALLATION PROCESS



Commercial Less support

International Standard Equival

1.0

1269.7

24357.17

10.34

Saving cost for formwork

timize reinforcement desigr

Optimize overall design

Saving cost for material waste

Less on site cutting needed, improve safety

Less time and resources to design composite slab



MEGAFLOOR[™] SOFTWARE

SMARTDEK[®] is supported by excellence and PC based design software.

MEGAFLOOR™ SOFTWARE is an ultimate tool to design decking as formwork and composite for optimum result using empirical equation.

Becomes Ultimate Tool to Design Decking as Formwork, Composite and Fire.

Fast in Designing Composite Slab. Less Resource for planning the usage of SMARTDEK[®] .



